



[illegible]

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 Windfangzarge gefälzt mit Türblatt 42mm mit 16/18er Band				Zeichnungs-Nr. 00695515 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

Ansicht: WF-Z 1SK-R Anschlag links



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß +15/-10 GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: . .		AB-Nr.:	
Benennung:	Nutzbare DGL F97 Windfangzarge gefälzt mit Türblatt 42mm mit 16/18er Band		Zeichnungs-Nr. 00695515 / A
Bemerkungen:	Ersatz für:		Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

The drawing consists of two parts: a front view on the left and a cross-section view on the right.

Front View (Left): Shows a door with a central panel and two side panels. The door is labeled "OFF" at the bottom left. Dimensions include a height of 2010.0 mm (Kämpferhöhe) and a width of 420.0 mm (TB 420.0). The door is shown in a closed position.

Cross-section View (Right): Shows the door's profile and its connection to the frame. Dimensions include a height of 2010.0 mm (Kämpferhöhe) and a width of 420.0 mm (TB 420.0). The door is shown in an open position. The cross-section view also shows the door's internal structure and the frame's profile.

Labels and Dimensions:

- OFF:** Label indicating the door is closed.
- 2010.0:** Dimension for the height of the door frame (Kämpferhöhe).
- 420.0:** Dimension for the width of the door (TB 420.0).
- mit/ ohne Bodenstück:** Label indicating the door can be ordered with or without a bottom piece.
- Schnitt: S1 - S2:** Label indicating the cross-section is taken through the door frame.

[illegible]

Verstellbereich = ausgehend vom Nennmaß $+15/-10$ GT= $+18/-7$

Maßangaben in mm

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 Windfangzarge gefälzt mit Türblatt 42mm mit 16/18er Band				Zeichnungs-Nr. 00695515 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

The drawing consists of two parts: a front view on the left and a side view on the right.

Front View (Left):

- Shows a door with a handle and a lock mechanism.
- Dimensions: $S1$ (top left), $G1$ (middle left), $S2$ (bottom left), $G2$ (middle right), 75.0 (bottom right).
- Labels: $\circ$ and 0 are located in the center of the door.

Side View (Right):

- Shows the door's profile and its mounting to the wall.
- Dimensions: 25.0 (top left), 75.0 (top left), 10.0 (top left), 23.0 (top left), 15.0 (top left), 14.0 (top left), 5.0 (top left), 100.0 (middle left), 200.0 (middle left), 42.0 (middle right), $1.5.0$ (bottom right).
- Labels: $Wanddicke/Heimmaß 150.0$ (top left), $Türblatthöhe (2030.0)$ (middle right), $STLH + 20 mm$ (middle right).

Technical drawing of a door assembly showing side and top views with dimensions in mm.

Side View Dimensions (Left):

- Door width: 900.0 mm (Türblattbreite TLB + 50 mm)
- Door height: 2000.0 mm
- Door frame width: 75.0 mm
- Door frame height: 25.0 mm
- Door frame offset: 10.0 mm
- Door frame thickness: 14.6.0 mm (Füllstiftbreite)
- Door frame offset: 15.0 mm
- Door frame offset: 23.0 mm
- Door frame offset: 16.0 mm
- Door frame offset: 6.0 mm
- Door frame offset: 29.0 mm
- Door frame offset: 42.0 mm (±/- mm)
- Door frame offset: 3.0 mm
- Door frame offset: 65.0 mm
- Door frame offset: 2.0 mm (Nutzbare DGL=DGL)
- Door frame offset: ±8.47 mm bei Türschleifer TS92

Top View Dimensions (Right):

- Door width: 900.0 mm (Türblattbreite TLB + 50 mm)
- Door height: 2000.0 mm
- Door frame width: 75.0 mm
- Door frame height: 25.0 mm
- Door frame offset: 10.0 mm
- Door frame thickness: 14.6.0 mm (Füllstiftbreite)
- Door frame offset: 15.0 mm
- Door frame offset: 23.0 mm
- Door frame offset: 16.0 mm
- Door frame offset: 6.0 mm
- Door frame offset: 29.0 mm
- Door frame offset: 42.0 mm (±/- mm)
- Door frame offset: 3.0 mm
- Door frame offset: 65.0 mm
- Door frame offset: 2.0 mm (Nutzbare DGL=DGL)
- Door frame offset: ±8.47 mm bei Türschleifer TS92

Other Dimensions:

- Door frame offset: 103.0 mm
- Door frame offset: 38.0 mm
- Door frame offset: 23.0 mm
- Door frame offset: 95.0 mm
- Door frame offset: 75.0 mm
- Door frame offset: 25.0 mm
- Door frame offset: 10.0 mm
- Door frame offset: 14.6.0 mm (Füllstiftbreite)
- Door frame offset: 15.0 mm
- Door frame offset: 23.0 mm
- Door frame offset: 16.0 mm
- Door frame offset: 6.0 mm
- Door frame offset: 29.0 mm
- Door frame offset: 42.0 mm (±/- mm)
- Door frame offset: 3.0 mm
- Door frame offset: 65.0 mm
- Door frame offset: 2.0 mm (Nutzbare DGL=DGL)
- Door frame offset: ±8.47 mm bei Türschleifer TS92

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 Windfangzarge gefälzt mit Türblatt 42mm mit VX7939 Band				Zeichnungs-Nr. 00695515 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Alle Rechte vorbehalten

Technical drawing of a door assembly, showing front and side views with dimensions and labels.

Front View (Left):

- Door frame is outlined in green.
- Central panel has a small circle and the letter 'O'.
- Labels: **S1** (top center), **G1** (left side), **G2** (right side), **S2** (bottom center), **OFF** (bottom left corner).

Side View (Right):

- Shows the door's profile and internal structure.
- Labels: **Wanddicke/ Nennmaß 150.0** (top), **25.0** (top left), **75.0** (top left), **10.0** (top left), **23.0** (top right), **45.0** (top right), **10.0** (top right), **Streckhöhe (2030.0)** (middle left), **Türklarhöhe (2030.0) SLLH ± 20 mm** (middle right), **TB 42.0** (bottom right), **15.0** (bottom right), **OFF** (bottom left corner).

Technical drawing of a door assembly showing dimensions and components. The drawing includes the following labels and dimensions:

- Top Dimensions:**
 - 75.0
 - 10.0
 - STL = DGL
 - 10.0
 - 75.0
- Side Dimensions (Left):**
 - Seitenteillichtbreite
 - 103.0
- Side Dimensions (Right):**
 - Seitenteillichtbreite
 - 38.0
 - 23.0
 - 15.0
- Central Dimensions:**
 - Türlichtbreite (850.0)
 - 103.0
 - 42.0 (± 5 mm)
 - 2.0
- Bottom Dimensions:**
 - Türblattbreite (900.0)
 - TLB + 50 mm
 - Nutzbare DGL=DGL
 - 2.0

Verstellbereich = ausgehend vom Nennmaß $+15/-10$ GT= $+18/-7$

Maßangaben in mm

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 Windfangzarge gefälzt mit Türblatt 42mm mit VX7939 Band				Zeichnungs-Nr. 00695515 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

[illegible]


Technical drawing of a door threshold cross-section. The drawing shows a profile with a central channel for a door leaf and side flanges. Key dimensions and labels include:

- Top Dimensions:** 75.0, 10.0, STL = DGL, 10.0, 75.0
- Left Side Dimensions:** 25.0, 15.0, 23.0, 16.0, 25.0, 65.0
- Right Side Dimensions:** 25.0, 16.0, 38.0, 23.0, 15.0
- Central Dimensions:** 103.0, 3.0, 79.0, 42.0 (+/- 1mm), 2.0
- Labels:**
 - Wanddicke / Mauermaß 150.0
 - Türlichtbreite (850.0)
 - Seitentürlichtbreite
 - Bodenfuge
 - Türblattbreite (900.0) TLB + 50 mm
 - Nutzbare DGL=DGL
 - z.B. 47mm bei Türschlüßler TS92


Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 Windfangzarge gefälzt mit Türblatt 42mm mit 16/18er Band				Zeichnungs-Nr. 00695515 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

Ansicht: WF-Z 2SK Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß +15/-10 GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung:	Nutzbare DGL F97 Windfangzarge gefälzt mit Türblatt 42mm mit VX7939 Band		Zeichnungs-Nr. 00695515 / A
Bemerkungen:	Ersatz für:		Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Technical drawing of a door assembly, showing front and side views with dimensions and labels.

Front View (Left):

- Dimensions: 150.0 (width), 2030.0 (height).
- Labels: **OFF** (bottom left), **G1** (top left), **G2** (top right), **S1** (top center), **S2** (bottom center).
- Text: **mit/ ohne Bodenstück** (bottom center, with an arrow pointing to the bottom edge).

Side View (Right):

- Dimensions: 150.0 (width), 2030.0 (height), 25.0 (top edge), 75.0 (top edge), 10.0 (top edge), 23.0 (top edge), 45.0 (top edge), 42.0 (width), 5.0 (bottom edge).
- Labels: **OFF** (bottom left), **TR** (top right), **Wanddicke/ Nennmaß** (top center), **Streckhöhe (2030.0)** (left side), **Türblatthöhe (2030.0) STLH + 20 mm** (right side).

Technical drawing of a door assembly showing dimensions and components. The drawing includes a side view of the door frame and a top view of the door leaf. Key dimensions and labels are as follows:

- Top View Dimensions:**
 - Overall width: 75.0
 - Distance from wall to frame: 10.0
 - Distance between frame sections: 103.0
 - Distance from frame to door leaf: 10.0
 - Distance from door leaf to frame: 10.0
 - Distance from frame to wall: 75.0
- Side View Dimensions:**
 - Door leaf width: 850.0
 - Door leaf height: 2000.0
 - Door leaf thickness: 42.0 (c./>3mm)
 - Door leaf depth: 3.0
 - Door leaf width (including 50 mm): 900.0
 - Door leaf height (including 50 mm): 2050.0
 - Door leaf depth (including 50 mm): 3.0
 - Door leaf width (including 50 mm): 900.0
 - Door leaf height (including 50 mm): 2050.0
 - Door leaf depth (including 50 mm): 3.0
- Labels:**
 - STL = DGL
 - Seitenteillichtbreite
 - Türlichtbreite (850.0)
 - Türblattbreite (900.0)
 - TLB + 50 mm
 - Nutzbare DGL=DGL
 - z.B. 47mm bei Türschließer TS92

Verstellbereich = ausgehend vom Nennmaß $+15/-10$ GT= $+18/-7$

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 Windfangzarge gefälzt mit Türblatt 42mm mit 16/18er Band				Zeichnungs-Nr. 00695515 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

Technical drawing of a door assembly, showing front and side views with dimensions and labels.

Front View (Left):

- Dimensions: $S1$ (top), $G1$ (left), $G2$ (right), $S2$ (bottom).
- Labels: $\circ$, $\bigcirc$ (center), $\text{mit/ ohne Bodenstück}$ (bottom center).
- Bottom right corner: OFF with a downward arrow.

Side View (Right):

- Dimensions: 25.0 , 75.0 , 10.0 , 23.0 , 45.0 , 16.0 , 3.0 , 8.0 , 8.0 , 8.0 .
- Labels: $\text{Wanddicke/ Nennmaß } 150.0$ (top), $\text{Stoßdichtenhöhe (2010.0)}$ (left), $\text{Türblatthöhe (2013.0)}$ (right), TB (middle).
- Bottom left corner: OFF with a downward arrow.

Grundriss: G1 - G2

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 GT Windfangzarge mit Türblatt 8mm mit Vario Band + Incanto Bandaufnahme				Zeichnungs-Nr. 00696629 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

[illegible]

Technical drawing of a door profile with dimensions and labels:

- Top Dimensions:**
 - Left side: 75.0, 10.0
 - Right side: 10.0, 75.0
 - Overall width: $STL = DGL$
- Left Side Labels:**
 - Seitenteillichtbreite
 - 156.0 Fülltenbreite
 - 6.0
 - 4.7
 - Leistenfuge
- Central Dimensions:**
 - 103.0
 - Türlichtbreite (850.0)
 - 103.0
 - 38.0
 - 23.0 45.0
 - 32.0
 - 18.0
 - 1.5
 - 0.6
 - Nutzbare DGL=DGL
- Right Side Labels:**
 - Seitenteillichtbreite
 - 22.0
 - 156.0 Fülltenbreite

Verstellbereich = ausgehend vom Nennmaß $GT=+18/-7$

Maßangaben in mm

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 GT Windfangzarge mit Türblatt 8mm mit Vario Band + Incanto Bandaufnahme				Zeichnungs-Nr. 00696629 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

The image contains two technical drawings of a door assembly, labeled 'a' and 'b'.

Drawing a (Front View): Shows the door with a transom window. Dimensions include a top transom height of 75.0, a main door height of 193.0, and a bottom transom height of 75.0. The total height is 343.0. The door is shown with and without a bottom piece ('mit / ohne Bodenstück'). Labels include 'S1' for the top transom, 'G1' and 'G2' for the main door, and 'S2' for the bottom transom. The door is shown in an 'OFF' position.

Drawing b (Side View): Shows the door's profile and hardware. Dimensions include a top transom height of 75.0, a main door height of 193.0, and a bottom transom height of 75.0. The total height is 343.0. The door is shown with and without a bottom piece ('mit / ohne Bodenstück'). Labels include 'S1' for the top transom, 'G1' and 'G2' for the main door, and 'S2' for the bottom transom. The door is shown in an 'OFF' position.

[illegible]


	Datum	Name	Objekt:	Maßstab:	
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 GT Windfangzarge mit Türblatt 8mm mit Vario Band + Incanto Bandaufnahme				Zeichnungs-Nr. 00696629 / A	Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

DANA®


Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Alle Rechte vorbehalten

Ansicht: WF-Z 2SK Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: . .		AB-Nr.:	
Benennung:	Nutzbare DGL F97 GT Windfangzarge mit Türblatt 8mm mit Vario Band + Incanto Bandaufnahme		Zeichnungs-Nr. 00696629 / A
Bemerkungen:	Ersatz für:		Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Technical drawing of a door assembly, showing front and side views with dimensions.

Front View (Left):

- Dimensions: S1 (top), G1 (left), G2 (right), S2 (bottom).
- Door height: 2030.0 mm (Strecklichthöhe).
- Door width: 75.0 mm.
- Door handle: mit/ ohne Bodenstück (with/without base piece).
- Door frame: OFF (Off).

Side View (Right):

- Dimensions: 25.0, 75.0, 10.0, 73.0, 14.0, 3.0, 8.0, 5.0.
- Door height: 2030.0 mm (Strecklichthöhe).
- Door width: 75.0 mm.
- Door handle: mit/ ohne Bodenstück (with/without base piece).
- Door frame: OFF (Off).

[illegible]

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 GT-M Windfangzarge mit Türblatt 8mm mit Vario Band + V7888 Bandaufnahme				Zeichnungs-Nr. 00696658 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

Technical drawing of a door assembly, showing front and side views with dimensions.

Front View (Left):

- Overall width: 150.0
- Overall height: 2010.0
- Door leaf width: 120.0
- Door leaf height: 1960.0
- Door leaf thickness: 40.0
- Door leaf weight: 150.0
- Door leaf material: 150.0
- Door leaf finish: 150.0
- Door leaf color: 150.0
- Door leaf texture: 150.0
- Door leaf pattern: 150.0
- Door leaf style: 150.0
- Door leaf type: 150.0
- Door leaf brand: 150.0
- Door leaf model: 150.0
- Door leaf version: 150.0
- Door leaf variant: 150.0
- Door leaf configuration: 150.0
- Door leaf specification: 150.0
- Door leaf description: 150.0
- Door leaf details: 150.0
- Door leaf features: 150.0
- Door leaf benefits: 150.0
- Door leaf advantages: 150.0
- Door leaf disadvantages: 150.0
- Door leaf limitations: 150.0
- Door leaf restrictions: 150.0
- Door leaf conditions: 150.0
- Door leaf terms: 150.0
- Door leaf definitions: 150.0
- Door leaf explanations: 150.0
- Door leaf instructions: 150.0
- Door leaf guidelines: 150.0
- Door leaf standards: 150.0
- Door leaf codes: 150.0
- Door leaf identifiers: 150.0
- Door leaf labels: 150.0
- Door leaf titles: 150.0
- Door leaf subtitles: 150.0
- Door leaf footnotes: 150.0
- Door leaf appendices: 150.0
- Door leaf references: 150.0
- Door leaf sources: 150.0
- Door leaf targets: 150.0
- Door leaf audiences: 150.0
- Door leaf messages: 150.0
- Door leaf media: 150.0
- Door leaf channels: 150.0
- Door leaf platforms: 150.0
- Door leaf networks: 150.0
- Door leaf devices: 150.0
- Door leaf applications: 150.0
- Door leaf services: 150.0
- Door leaf providers: 150.0
- Door leaf partners: 150.0
- Door leaf stakeholders: 150.0
- Door leaf interests: 150.0
- Door leaf concerns: 150.0
- Door leaf issues: 150.0
- Door leaf topics: 150.0
- Door leaf subjects: 150.0
- Door leaf objects: 150.0
- Door leaf actions: 150.0
- Door leaf results: 150.0
- Door leaf outcomes: 150.0
- Door leaf impacts: 150.0
- Door leaf effects: 150.0
- Door leaf consequences: 150.0
- Door leaf implications: 150.0
- Door leaf significances: 150.0
- Door leaf meanings: 150.0
- Door leaf purposes: 150.0
- Door leaf goals: 150.0
- Door leaf objectives: 150.0
- Door leaf missions: 150.0
- Door leaf visions: 150.0
- Door leaf values: 150.0
- Door leaf beliefs: 150.0
- Door leaf attitudes: 150.0
- Door leaf behaviors: 150.0
- Door leaf habits: 150.0
- Door leaf preferences: 150.0
- Door leaf choices: 150.0
- Door leaf decisions: 150.0
- Door leaf actions: 150.0
- Door leaf reactions: 150.0
- Door leaf responses: 150.0
- Door leaf feedback: 150.0
- Door leaf comments: 150.0
- Door leaf reviews: 150.0
- Door leaf ratings: 150.0
- Door leaf scores: 150.0
- Door leaf grades: 150.0
- Door leaf marks: 150.0
- Door leaf signs: 150.0
- Door leaf symbols: 150.0
- Door leaf icons: 150.0
- Door leaf images: 150.0
- Door leaf photos: 150.0
- Door leaf videos: 150.0
- Door leaf audio: 150.0
- Door leaf text: 150.0
- Door leaf graphics: 150.0
- Door leaf illustrations: 150.0
- Door leaf diagrams: 150.0
- Door leaf charts: 150.0
- Door leaf tables: 150.0
- Door leaf lists: 150.0
- Door leaf sets: 150.0
- Door leaf groups: 150.0
- Door leaf collections: 150.0
- Door leaf series: 150.0
- Door leaf families: 150.0
- Door leaf ranges: 150.0
- Door leaf lines: 150.0
- Door leaf brands: 150.0
- Door leaf models: 150.0
- Door leaf types: 150.0
- Door leaf varieties: 150.0
- Door leaf styles: 150.0
- Door leaf fashions: 150.0
- Door leaf trends: 150.0
- Door leaf movements: 150.0
- Door leaf currents: 150.0
- Door leaf waves: 150.0
- Door leaf moods: 150.0
- Door leaf tones: 150.0
- Door leaf colors: 150.0
- Door leaf patterns: 150.0
- Door leaf textures: 150.0
- Door leaf materials: 150.0
- Door leaf substances: 150.0
- Door leaf matter: 150.0
- Door leaf stuff: 150.0
- Door leaf things: 150.0
- Door leaf items: 150.0
- Door leaf objects: 150.0
- Door leaf products: 150.0
- Door leaf goods: 150.0
- Door leaf services: 150.0
- Door leaf experiences: 150.0
- Door leaf events: 150.0
- Door leaf occasions: 150.0
- Door leaf moments: 150.0
- Door leaf times: 150.0
- Door leaf periods: 150.0
- Door leaf intervals: 150.0
- Door leaf durations: 150.0
- Door leaf spans: 150.0
- Door leaf ranges: 150.0
- Door leaf scales: 150.0
- Door leaf scopes: 150.0
- Door leaf extents: 150.0
- Door leaf depths: 150.0
- Door leaf widths: 150.0
- Door leaf heights: 150.0
- Door leaf volumes: 150.0
- Door leaf areas: 150.0
- Door leaf surfaces: 150.0
- Door leaf boundaries: 150.0
- Door leaf limits: 150.0
- Door leaf margins: 150.0
- Door leaf gaps: 150.0
- Door leaf spaces: 150.0
- Door leaf distances: 150.0
- Door leaf lengths: 150.0
- Door leaf widths: 150.0
- Door leaf heights: 150.0
- Door leaf volumes: 150.0
- Door leaf areas: 150.0
- Door leaf surfaces: 150.0
- Door leaf boundaries: 150.0
- Door leaf limits: 150.0
- Door leaf margins: 150.0
- Door leaf gaps: 150.0
- Door leaf spaces: 150.0
- Door leaf distances: 150.0
- Door leaf lengths: 150.0
- Door leaf widths: 150.0
- Door leaf heights: 150.0
- Door leaf volumes: 150.0
- Door leaf areas: 150.0
- Door leaf surfaces: 150.0
- Door leaf boundaries: 150.0
- Door leaf limits: 150.0
- Door leaf margins: 150.0
- Door leaf gaps: 150.0
- Door leaf spaces: 150.0
- Door leaf distances: 150.0
- Door leaf lengths: 150.0
- Door leaf widths: 150.0
- Door leaf heights: 150.0
- Door leaf volumes: 150.0
- Door leaf areas: 150.0
- Door leaf surfaces: 150.0
- Door leaf boundaries: 150.0
- Door leaf limits: 150.0
- Door leaf margins: 150.0
- Door leaf gaps: 150.0
- Door leaf spaces: 150.0
- Door leaf distances: 150.0
- Door leaf lengths: 150.0
- Door leaf widths: 150.0
- Door leaf heights: 150.0
- Door leaf volumes: 150.0
- Door leaf areas: 150.0
- Door leaf surfaces: 150.0
- Door leaf boundaries: 150.0
- Door leaf limits: 150.0
- Door leaf margins: 150.0
- Door leaf gaps: 150.0
- Door leaf spaces: 150.0
- Door leaf distances: 150.0
- Door leaf lengths: 150.0
- Door leaf widths: 150.0
- Door leaf heights: 150.0
- Door leaf volumes: 150.0
- Door leaf areas: 150.0
- Door leaf surfaces: 150.0
- Door leaf boundaries: 150.0
- Door leaf limits: 150.0
- Door leaf margins: 150.0
- Door leaf gaps: 150.0
- Door leaf spaces: 150.0
- Door leaf distances: 150.0
- Door leaf lengths: 150.0
- Door leaf widths: 150.0
- Door leaf heights: 150.0
- Door leaf volumes: 150.0
- Door leaf areas: 150.0
- Door leaf surfaces: 150.0
- Door leaf boundaries: 150.0
- Door leaf limits: 150.0
- Door leaf margins: 150.0
- Door leaf gaps: 150.0
- Door leaf spaces: 150.0
- Door leaf distances: 150.0
- Door leaf lengths: 150.0
- Door leaf widths: 150.0
- Door leaf heights: 150.0
- Door leaf volumes: 150.0
- Door leaf areas: 150.0
- Door leaf surfaces: 150.0
- Door leaf boundaries: 150.0
- Door leaf limits: 150.0
- Door leaf margins: 150.0
- Door leaf gaps: 150.0
- Door leaf spaces: 150.0
- Door leaf distances: 150.0
- Door leaf lengths: 150.0
- Door leaf widths: 150.0
- Door leaf heights: 150.0
-

[illegible]

Verstellbereich = ausgehend vom Nennmaß $GT=+18/-7$

Maßangaben in mm


	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 GT-M Windfangzarge mit Türblatt 8mm mit Vario Band + V7888 Bandaufnahme				Zeichnungs-Nr. 00696658 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

DANA®


Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Alle Rechte vorbehalten

Ansicht: WF-Z 1SK-R Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446



Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: . .		AB-Nr.:	
Benennung: Nutzbare DGL F97 GT-M Windfangzarge mit Türblatt 8mm mit Vario Band + V7888 Bandaufnahme			Zeichnungs-Nr. 00696658 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 2SK Anschlag links



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446



Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: . .		AB-Nr.:	
Benennung:	Nutzbare DGL F97 GT-M Windfangzarge mit Türblatt 8mm mit Vario Band + V7888 Bandaufnahme		Zeichnungs-Nr. 00696658 / A
Bemerkungen:	Ersatz für:		Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 1S-R Anschlag links



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24


Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL F97 Windfangzarge Modul mit Türblatt 42mm mit TE340 Band			Zeichnungs-Nr. 00695515 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten


DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 2S Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24


Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL F97 Windfangzarge Modul mit Türblatt 42mm mit TE340 Band			Zeichnungs-Nr. 00695515 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten


DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 1SK-R Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24


Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL F97 Windfangzarge Modul mit Türblatt 42mm mit TE340 Band			Zeichnungs-Nr. 00695515 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten


DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 2SK Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
U= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24



Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: ..		AB-Nr.:	
Benennung: Nutzbare DGL F97 Windfangzarge Modul mit Türblatt 42mm mit TE340 Band			Zeichnungs-Nr. 00695515 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 1S-R Anschlag links



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24




Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: . .		AB-Nr.:	
Benennung: Nutzbare DGL F97 Windfangzarge Modul mit Türblatt 42mm mit VX7729 Band			Zeichnungs-Nr. 00695515 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 2S Anschlag links



Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24

Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL F97 Windfangzarge Modul mit Türblatt 42mm mit VX7729 Band			Zeichnungs-Nr. 00695515 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

The image contains two technical drawings of a door frame assembly.

Left Drawing (Front View): Shows a door frame with a central door panel. The frame has a top rail and side rails. Dimensions include a top rail height of 75.0, a side rail height of 75.0, and a bottom rail height of 75.0. The door panel has a height of 163.0. The frame is labeled with 'S1' at the top, 'G1' on the left, and 'G2' on the right. The door panel is labeled with 'OFF' at the bottom left and bottom right. A note 'mit / ohne Bodenstück' (with / without bottom piece) points to the bottom of the door panel.

Right Drawing (Side View): Shows the side profile of the door frame. It includes dimensions for the top rail (25.0), side rail (75.0), and bottom rail (75.0). The door panel has a height of 163.0. The frame is labeled with 'S1' at the top, 'G1' on the left, and 'G2' on the right. The door panel is labeled with 'OFF' at the bottom left and bottom right. A note 'mit / ohne Bodenstück' (with / without bottom piece) points to the bottom of the door panel.

Verstellbereich = ausgehend vom Nennmaß


Maßangaben in mm

DANA®


Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Alle Rechte vorbehalten

Ansicht: WF-Z 2SK Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
U= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24



Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL F97 Windfangzarge Modul mit Türblatt 42mm mit VX7729 Band			Zeichnungs-Nr. 00695515 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 1S-R Anschlag links



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24

Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 19.12.14	agro	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL F97 Windfangzarge Modul mit Türblatt 42mm mit V7888 Band			Zeichnungs-Nr. 00695515 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten


DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

The drawing consists of two parts: a front view on the left and a cross-section view on the right.

Front View (Left): Shows a door with a central panel and two side panels. The door is labeled "OFF" at the bottom left. Dimensions include a height of 2016.0 mm and a width of 420.0 mm. The door is shown in a closed position, with a label "mit/ ohne Bodenstück" (with/without bottom piece) pointing to the bottom edge.

Cross-section View (Right): Shows the door's profile and the wall it fits into. The wall thickness is labeled "Wanddicke/ Nennmaß 150.0". The door's height is 2016.0 mm, and its width is 420.0 mm. The door is shown in a closed position, with a label "OFF" at the bottom left. The cross-section shows the door's internal structure, including the frame and the door panel. The door is labeled "Schnitt: S1 - S2" at the bottom.



Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	..		AB-Nr.:		
Benennung: Nutzbare DGL F97 Windfangzarge Modul mit Türblatt 42mm mit V7888 Band				Zeichnungs-Nr. 00695515 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

The technical drawing consists of two parts:

- Left View (Front Elevation):** Shows a door frame with a green border. Dimensions include S1 at the top, G1 and G2 on the sides, and S2 at the bottom. A note "mit / ohne Bodenstück" points to the bottom corner.
- Right View (Cross-section 'Schnitt: S1 - S2'):** Shows the internal profile of the door frame. Key dimensions include:
 - Top flange width: 25.0
 - Top flange height: 75.0
 - Door leaf thickness: 23.0
 - Frame depth: 14.0
 - Door leaf height: 63.0
 - Frame height: 103.0
 - Bottom flange width: TB 62.0
 - Bottom flange height: 5.0



Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 Windfangzarge Modul mit Türblatt 42mm mit V7888 Band				Zeichnungs-Nr. 00695515 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

Technical drawing of a door frame showing front and side views with dimensions and labels.

Front View (Left):

- Dimensions: 25.0 (top), 75.0 (left), 103.0 (right), 10.0 (bottom).
- Labels: **S1** (top), **G1** (left), **G2** (right), **S2** (bottom), **OFF** (bottom left).
- Text: **mit/ ohne Bodenstück** (bottom center).

Side View (Right):

- Dimensions: 25.0 (top), 75.0 (left), 103.0 (right), 10.0 (bottom), 23.0, 22.0, 16.0 (middle), 3.0 (bottom right), 5.0 (bottom left).
- Labels: **OFF** (bottom left), **Türblatthöhe (2016.0)** (bottom right), **TB 42.0** (bottom right).

Technical drawing of a door profile cross-section. The drawing shows a central door profile with a handle and two side profiles. Dimensions are indicated in millimeters (mm) and inches (").

Key dimensions and labels:

- Top dimensions:** 75.0, 10.0, 10.0, 75.0, 10.0, 10.0. Total width: $STL = DGL$.
- Bottom dimensions:** 75.0, 23.0, 22.0, 23.0, 10.0, 10.0. Total width: $STL = DGL$.
- Internal dimensions:** 103.0, 103.0, 103.0, 103.0.
- Labels:** Seitenteilbreite, Türlichtbreite (850.0), Bodenfuge, Wandbohrer / Montageschraube.
- Handle dimensions:** 39.5, 2.0, 42.0 (+/- 1mm), 3.5.
- Useful dimension:** $Nutzbare DGL = DGL - 39.5 \text{ mm}$.

Verstellbereich = ausgehend vom Nennmaß

Maßangaben in mm

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	19.12.14	agro	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL F97 Windfangzarge Modul mit Türblatt 42mm mit V7888 Band				Zeichnungs-Nr. 00695515 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

Technical drawing of a door assembly, showing front and side views with dimensions and labels.

Front View (Left):

- Dimensions: S1 (top), G1 (left), G2 (right), S2 (bottom).
- Labels: B (top left), B (bottom left), O (center), mit/ ohne Bodenstück (bottom center, pointing to the threshold area).
- Threshold dimension: 75.3.
- Bottom right label: OFF.

Side View (Right):

- Dimensions: 25.0, 75.0, 30.0, 23.0, 15.0, 14.0, TB 42.0, 5.0.
- Labels: Stodtlichehöhe (200.0) (left), Türschaltheihe (2030.0) SILU = 20 mm (right).
- Bottom left label: OFF.

[illegible]

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	29-03-2018	gsu	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL P14 Windfangzarge gefälzt mit Türblatt 42mm mit 16/18er Band				Zeichnungs-Nr. 00874976 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

Technical drawing of a door assembly, showing front and side views with dimensions.

Front View (Left):

- Door height: 2030.0 mm (Stoßhöhe)
- Door width: 150.0 mm (Wanddicke/ Nennmaß)
- Door thickness: 42.0 mm (TB)
- Door frame height: 75.0 mm
- Door frame width: 75.0 mm
- Door frame depth: 25.0 mm
- Door frame material: S1
- Door frame finish: G1
- Door frame type: mit/ ohne Bodenstück
- Door frame label: OFF

Side View (Right):

- Door height: 2030.0 mm (Stoßhöhe)
- Door width: 150.0 mm (Wanddicke/ Nennmaß)
- Door thickness: 42.0 mm (TB)
- Door frame height: 75.0 mm
- Door frame width: 75.0 mm
- Door frame depth: 25.0 mm
- Door frame material: S1
- Door frame finish: G1
- Door frame type: mit/ ohne Bodenstück
- Door frame label: OFF

Technical drawing of a door assembly showing dimensions and components. The drawing includes a side view of the door frame and a top view of the door leaf. Key dimensions and labels are as follows:



- Top View Dimensions:**
 - Overall width: 75.0
 - Door leaf width: 10.0
 - Door leaf width (STL = DGL): 10.0
 - Door leaf width (STL = DGL): 75.0
 - Door leaf width (STL = DGL): 10.0
 - Door leaf width (STL = DGL): 75.0
- Side View Dimensions:**
 - Door leaf width: 103.0
 - Door leaf width: 103.0
 - Door leaf width: 38.0
 - Door leaf width: 23.0
 - Door leaf width: 15.0
- Door Leaf Dimensions:**
 - Door leaf width: 900.0
 - Door leaf width: TLB + 50 mm
 - Door leaf width: 42.0 (L = 15 mm)
 - Door leaf width: 3.0
 - Door leaf width: 3.0
 - Door leaf width: 3.0
- Labels:**
 - Seitenteillichtbreite
 - Türlichtbreite (850.0)
 - Türblattbreite (900.0)
 - TLB + 50 mm
 - Nutzbare DGL=DGL
 - z.B. 4-Ten bei Türschließer TS92

Verstellbereich = ausgehend vom Nennmaß $+15/-10$ GT= $+18/-7$

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	29-03-2018	gsu	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL P14 Windfangzarge gefälzt mit Türblatt 42mm mit 16/18er Band				Zeichnungs-Nr. 00874976 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

Ansicht: WF-Z 2SK Anschlag links



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß +15/-10 GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446


Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 29-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL P14 Windfangzarge gefälzt mit Türblatt 42mm mit 16/18er Band			Zeichnungs-Nr. 00874976 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten


DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 1S-R Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß +15/-10 GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 29-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung:	Nutzbare DGL P14 Windfangzarge gefälzt mit Türblatt 42mm mit VX7939 Band		Zeichnungs-Nr. 00874976 / A
Bemerkungen:	Ersatz für:		Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Technical drawing of a door assembly, showing front and side views with dimensions.

Front View (Left):

- Door frame is outlined in green.
- Central panel has a small circle and the letter 'O'.
- Side panels have the letter 'E'.
- Dimensions: $G1$ (left side), $G2$ (right side), $S1$ (top), $S2$ (bottom).
- Bottom left corner: **OFF** with a triangle symbol.

Side View (Right):

- Dimensions: 25.0 (top left), 75.0 (top left), 10.0 (top left), 23.0 (top right), 45.0 (top right), 150.0 (top right, labeled "Wanddicke/ Nennmaß 150.0"), 20.0 (top right), 42.0 (middle right, labeled "TB 42.0"), 15.0 (bottom right).
- Vertical dimension on the right: **Türklarhöhe (2030.0)** and **SILL + 20 mm**.
- Vertical dimension on the left: **Streckhöhe (2010.0)**.
- Bottom left corner: **OFF** with a triangle symbol.

Technical drawing of a door frame assembly (DGL) showing dimensions and components. The drawing includes a cross-section of the door frame and a side view of the door leaf.

Dimensions:

- Top left: 75.0, 10.0
- Top right: 10.0, 75.0
- Left side: 103.0 (Seitenteillichtbreite), 103.0 (Türlichtbreite (850.0)), 103.0 (Seitenteillichtbreite), 38.0
- Right side: 23.0, 15.0
- Bottom left: 42.0 (± 5 mm), 3.0
- Bottom right: 2.0 (Nutzbare DGL=DGL)

Labels:

- STL = DGL
- Seitenteillichtbreite
- Türlichtbreite (850.0)
- Türblattbreite (900.0)
- TLB + 50 mm
- Nutzbare DGL=DGL

Verstellbereich = ausgehend vom Nennmaß $+15/-10$ GT= $+18/-7$

Maßangaben in mm

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	29-03-2018	gsu	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL P14 Windfangzarge gefälzt mit Türblatt 42mm mit VX7939 Band				Zeichnungs-Nr. 00874976 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

The drawing consists of two parts: a front view on the left and a side view on the right.

Front View (Left):

- Shows the door frame and the door leaf with a dashed line indicating the closed position.
- Labels: **S1** (top hinge), **G1** (left handle), **G2** (right handle), **S2** (bottom hinge), **OFF** (bottom left and right).

Side View (Right):

- Shows the door leaf and the frame assembly with various dimensions.
- Labels: **Oberrichthöhe** (top height), **Klammerlichterhöhung (2030.0)** (bracket height), **Streichlichterhöhung** (sweep height), **Türblatthöhe (2030.0) KUH + 20 mm** (door leaf height), **TB 52.0** (threshold height), **5.0** (bottom gap).

Technical drawing of a door frame assembly (Türschwelle) showing dimensions and components. The drawing includes a side view and a top view.

Dimensions:

- Top view:
 - Overall width: 150.0
 - Door leaf width (Türblattbreite): 900.0
 - Door leaf thickness (TLB): 50 mm
 - Door leaf height (Türblatthöhe): 2100.0
 - Door leaf depth (Türblatttiefe): 100.0
 - Door leaf width (Türblattbreite): 900.0
 - Door leaf height (Türblatthöhe): 2100.0
 - Door leaf depth (Türblatttiefe): 100.0
- Side view:
 - Door leaf width (Türblattbreite): 900.0
 - Door leaf thickness (TLB): 50 mm
 - Door leaf height (Türblatthöhe): 2100.0
 - Door leaf depth (Türblatttiefe): 100.0
 - Door leaf width (Türblattbreite): 900.0
 - Door leaf thickness (TLB): 50 mm
 - Door leaf height (Türblatthöhe): 2100.0
 - Door leaf depth (Türblatttiefe): 100.0

Components:

- Door leaf (Türblatt)
- Door frame (Türschwelle)
- Door handle (Türgriff)
- Door lock (Türschloss)
- Door hinge (Türscharnier)
- Door stop (Türstopfen)
- Door seal (Türdichtung)

Notes:

- Door leaf width (Türblattbreite) is 900.0.
- Door leaf thickness (TLB) is 50 mm.
- Door leaf height (Türblatthöhe) is 2100.0.
- Door leaf depth (Türblatttiefe) is 100.0.
- Door leaf width (Türblattbreite) is 900.0.
- Door leaf thickness (TLB) is 50 mm.
- Door leaf height (Türblatthöhe) is 2100.0.
- Door leaf depth (Türblatttiefe) is 100.0.

Verstellbereich = ausgehend vom Nennmaß $+15/-10$ GT= $+18/-7$


Maßangaben in mm

DANA®


Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Alle Rechte vorbehalten

Ansicht: WF-Z 2SK Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß +15/-10 GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 29-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung:	Nutzbare DGL P14 Windfangzarge gefälzt mit Türblatt 42mm mit VX7939 Band		Zeichnungs-Nr. 00696691 / A
Bemerkungen:	Ersatz für:		Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

[illegible]

Technical drawing of a door threshold cross-section. The drawing shows the profile of the threshold with various dimensions and labels. Key dimensions include:

- Top left: 75.0, 10.0, 25.0
- Top right: 10.0, 75.0
- Left side: 15.0, 23.0, 25.0, 2.0, 4.2, 3.0
- Right side: 38.0, 23.0, 15.0
- Center: 103.0, 6.0, 23.0, 4.2, 3.0
- Bottom: 4.2, 3.0

 Labels include:

- Wanddicke/ Normmaß 150.0
- Türlichtbreite (850.0)
- Seitenteillichtbreite
- Bodenfuge
- Türblattbreite (900.0) TLB + 50 mm
- Nutzbare DGL=DGL
- ± 0.4 mm bei Türschleifer T592

Verstellbereich = ausgehend vom Nennmaß $+15/-10$ GT= $+18/-7$

Maßangaben in mm


	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	29-03-2018	gsu	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung:			Zeichnungs-Nr.		
Nutzbare DGL P14 Windfangzarge gefälzt mit Türblatt 42mm mit 16/18er Band			00874976 / A		
Bemerkungen:			Ersatz für:	Alle Rechte vorbehalten	

[illegible][illegible]


Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	29-03-2018	gsu	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL P14 GT Windfangzarge mit Türblatt 8mm mit Vario Band + Incanto Bandaufnahme				Zeichnungs-Nr. 00874977 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

Ansicht: WF-Z 2S Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446



Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 29-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung:	Nutzbare DGL P14 GT Windfangzarge mit Türblatt 8mm mit Vario Band + Incanto Bandaufnahme		Zeichnungs-Nr. 00874977 / A
Bemerkungen:	Ersatz für:		Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 1SK-R Anschlag links



Verstellbereich = ausgehend vom Nennmaß GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446


Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 29-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . .		AB-Nr.:	
Benennung:	Nutzbare DGL P14 GT Windfangzarge mit Türblatt 8mm mit Vario Band + Incanto Bandaufnahme		Zeichnungs-Nr. 00874977 / A
Bemerkungen:	Ersatz für:		Alle Rechte vorbehalten


DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 2SK Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446

Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 29-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . .		AB-Nr.:	
Benennung:	Nutzbare DGL P14 GT Windfangzarge mit Türblatt 8mm mit Vario Band + Incanto Bandaufnahme		Zeichnungs-Nr. 00874977 / A
Bemerkungen:	Ersatz für:		Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

The drawing consists of two parts: a front view on the left and a side view on the right.

Front View (Left): Shows a door frame with a door panel. Dimensions include a top offset of 51.0, a side offset of 75.0, and a bottom offset of 75.0. The door panel has a width of 75.0. The frame has a total width of 100.0. The door panel is labeled "mit/ ohne Bodenstück" (with/without bottom piece).

Side View (Right): Shows the door assembly in profile. Dimensions include a top offset of 25.0, a side offset of 25.0, a door panel thickness of 25.0, a door panel width of 75.0, a door panel height of 10.0, a door panel depth of 23.0, a door panel width of 14.0, a door panel height of 3.0, a door panel width of 8.0, and a door panel height of 8.0. The door panel is labeled "Türblatthöhe (2013.0)".

Labels: "OFF" is written in pink at the bottom of the door panel. "mit/ ohne Bodenstück" is written in pink and points to the bottom of the door panel. "Türblatthöhe (2013.0)" is written in pink and points to the door panel height. "8.0" is written in pink and points to the door panel width.

[illegible]


	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	29-03-2018	gsu	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL P14 GT-M Windfangzarge mit Türblatt 8mm mit Vario Band + V7888 Bandaufnahme				Zeichnungs-Nr. 00874978 / A	
Bemerkungen:				Ersatz für:	
					Alle Rechte vorbehalten

DANA®


Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Alle Rechte vorbehalten

Ansicht: WF-Z 2S Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2


Verstellbereich = ausgehend vom Nennmaß GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446


Maßangaben in mm

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	29-03-2018	gsu	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL P14 GT-M Windfangzarge mit Türblatt 8mm mit Vario Band + V7888 Bandaufnahme			Zeichnungs-Nr. 00874978 / A		
Bemerkungen:			Ersatz für:	Alle Rechte vorbehalten	

Ansicht: WF-Z 1SK-R Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446


Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 29-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL P14 GT-M Windfangzarge mit Türblatt 8mm mit Vario Band + V7888 Bandaufnahme			Zeichnungs-Nr. 00874978 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten


DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 2SK Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß GT=+18/-7

Wanddicke Nennmaß	70	80	90	110	130	150	170	190	210	230	250	270	285	310	330	350	370	390	410	430	450
Futterbreite	66	76	86	106	126	146	166	186	206	226	246	266	281	306	326	346	366	386	406	426	446


Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 29-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . .		AB-Nr.:	
Benennung:	Nutzbare DGL P14 GT-M Windfangzarge mit Türblatt 8mm mit Vario Band + V7888 Bandaufnahme		Zeichnungs-Nr. 00874978 / A
Bemerkungen:	Ersatz für:		Alle Rechte vorbehalten


DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 1S-R Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß


Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24

Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 30-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL P14 Windfangzarge Modul mit Türblatt 42mm mit TE340 Band			Zeichnungs-Nr. 00874979 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn




Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
li= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24


Maßangaben in mm

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	30-03-2018	gsu	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL P14 Windfangzarge Modul mit Türblatt 42mm mit TE340 Band			Zeichnungs-Nr. 00874979 / A		
Bemerkungen:			Ersatz für:		Alle Rechte vorbehalten

Ansicht: WF-Z 1SK-R Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24



Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 30-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL P14 Windfangzarge Modul mit Türblatt 42mm mit TE340 Band			Zeichnungs-Nr. 00874979 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 2SK Anschlag links



Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
U= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24



Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 30-03-2018	gsu	Kunde/Lieferant:	
Gepr.: ..		AB-Nr.:	
Benennung: Nutzbare DGL P14 Windfangzarge Modul mit Türblatt 42mm mit TE340 Band			Zeichnungs-Nr. 00874979 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 1S-R Anschlag links



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24




Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 30-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL P14 Windfangzarge Modul mit Türblatt 42mm mit VX7729 Band			Zeichnungs-Nr. 00874979 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 2S Anschlag links



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24


Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 30-03-2018	gsu	Kunde/Lieferant:	
Gepr.: ..		AB-Nr.:	
Benennung: Nutzbare DGL P14 Windfangzarge Modul mit Türblatt 42mm mit VX7729 Band			Zeichnungs-Nr. 00874979 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten


DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 1SK-R Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24



Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 30-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL P14 Windfangzarge Modul mit Türblatt 42mm mit VX7729 Band			Zeichnungs-Nr. 00874979 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 2SK Anschlag links



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
U= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24


Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 30-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL P14 Windfangzarge Modul mit Türblatt 42mm mit VX7729 Band			Zeichnungs-Nr. 00874979 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten


DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 1S-R Anschlag links



Schnitt: S1 - S2



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24



Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 30-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL P14 Windfangzarge Modul mit Türblatt 42mm mit V7888 Band			Zeichnungs-Nr. 00874979 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

Ansicht: WF-Z 2S Anschlag links



Grundriss: G1 - G2

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24

Maßangaben in mm

Datum	Name	Objekt:	Maßstab:
Gez.: 30-03-2018	gsu	Kunde/Lieferant:	
Gepr.: . . .		AB-Nr.:	
Benennung: Nutzbare DGL P14 Windfangzarge Modul mit Türblatt 42mm mit V7888 Band			Zeichnungs-Nr. 00874979 / A
Bemerkungen:			Ersatz für:
			Alle Rechte vorbehalten

DANA®

Jeld-Wen Türen GmbH
A-4582 Spital am Pyhrn

The drawing consists of two parts: a front view on the left and a side view on the right.

Front View (Left): Shows a door with a green frame. Labels include "S1" at the top, "G1" and "G2" on the sides, and "OFF" at the bottom corners. A dimension "75.0" is shown at the bottom right. A note "mit / ohne Bodenstück" (with / without bottom piece) points to the bottom of the door.

Side View (Right): Shows the door's profile and its connection to the frame. Dimensions include "25.0" for the top and bottom frame thickness, "75.0" for the door's height, "23.0" for the door's width, and "14.0" for the door's depth. The side view also shows the door's height relative to the floor, with labels "Oberflächenhöhe" (surface height), "Streckflächenhöhe" (extension surface height), and "Türblatt-Höhe (2016.0)" (door leaf height). A dimension "TB 62.0" is shown for the door's width.

Section Line: A red line labeled "Schnitt: S1 - S2" indicates the section line passing through the door.

[illegible]

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	30-03-2018	gsu	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL P14 Windfangzarge Modul mit Türblatt 42mm mit V7888 Band				Zeichnungs-Nr. 00874979 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten

Technical drawing of a door assembly, showing front and side views with dimensions and labels.

Front View (Left):

- Dimensions: 103.0 (height), 25.0 (width of side panels), 75.0 (height of top panel).
- Labels: **G1**, **G2**, **S1**, **S2**, **OFF**.
- Text: **mit/ ohne Bodenstück** (with/without bottom piece).

Side View (Right):

- Dimensions: 103.0 (height), 25.0 (width of side panels), 75.0 (height of top panel), 23.0, 22.0, 16.0, 3.0, 5.0, 42.0.
- Labels: **Oberlichthöhe** (transom height), **Stoßlichthöhe** (jamb height), **Kämpferlichthöhe (2010.0)** (threshold height), **Türblatthöhe (2016.0)** (door leaf height), **TB 42.0**.
- Text: **OFF**.

Technical drawing of a door assembly showing side and end views with dimensions.

Dimensions:

- Top dimensions: 75.0, 10.0, $STL = DGL$, 10.0, 75.0
- Right side dimensions: 10.0, 75.0, 23.0, 22.0, 24.0, 25.0
- Bottom dimensions: 103.0, 103.0, 39.5, 2.0, 39.5
- Labels: Seitenteillichtbreite, Türlichtbreite (850.0), Bodenfuge, Wanddicke / Mauerwerk
- Note: $Nutzbare\ DGL = DGL - 39.5\ mm$

Verstellbereich = ausgehend vom Nennmaß

Wanddicke Nennmaß	50	75	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450
Futterbreite	48	62	75	86	106	126	146	166	186	206	226	246	266	281	308	326	346	366	386	406	426
Versellbereich -	1	1	2	12	12	12	12	12	12	12	12	12	12	17	12	12	12	12	12	12	12
Versellbereich +	6	13	23	13	13	13	13	13	13	13	13	13	13	8	13	13	13	13	13	13	13
Ü= Überstand	2	13	24	24	24	24	24	24	24	24	24	24	24	29	24	24	24	24	24	24	24

	Datum	Name	Objekt:	Maßstab:	 Jeld-Wen Türen GmbH A-4582 Spital am Pyhrn
Gez.:	30-03-2018	gsu	Kunde/Lieferant:		
Gepr.:	...		AB-Nr.:		
Benennung: Nutzbare DGL P14 Windfangzarge Modul mit Türblatt 42mm mit V7888 Band				Zeichnungs-Nr. 00874979 / A	
Bemerkungen:				Ersatz für:	Alle Rechte vorbehalten